



Arista's Powered by PoE Computers PoE Switches Compatibility List

1)15" Display (1024 x 768)

ARP-5515AX-E01-A06 can be powered by the following PSE:

60W

- Cisco C9300-48UXM **UPoE Tested**

90W

- Arista APOE-60E-BT PoE Injector + 150W 24VDC Power Supply**Tested**
- C9300X-24HX-E **UPoE + Per Spec**
- C9300X-48HX-E **UPoE + Tested**
- C9300X-48HXN-E **UPoE + Per Spec**

ARP-5515AX-E01-AQ6,

ARP-5515AX-K01-A34-300 can be powered by the following PSE:

90W

- Arista APOE-60E-BT PoE Injector + 150W 24VDC Power Supply**Tested**
- C9300X-24HX-E **UPoE + Per Spec**
- C9300X-48HX-E **UPoE + Tested**
- C9300X-48HXN-E **UPoE + Per Spec**

2)17" Display (1280 x 1024)

ARP-5517AX-E01-A06 can be powered by the following PSE:

60W

- Cisco C9300-48UXM **UPoE Tested**

90W

- Arista APOE-60E-BT PoE Injector + 150W 24VDC Power Supply**Tested**
- C9300X-24HX-E **UPoE + Per Spec**
- C9300X-48HX-E **UPoE + Tested**
- C9300X-48HXN-E **UPoE + Per Spec**

ARP-5517AX-E01-AQ6,

ARP-5517AX-K01-A34-300 can be powered by the following PSE:

90W

- Arista APOE-60E-BT PoE Injector + 150W 24VDC Power Supply**Tested**
- C9300X-24HX-E **UPoE + Per Spec**
- C9300X-48HX-E **UPoE + Tested**
- C9300X-48HXN-E **UPoE + Per Spec**

1)19" Display (1280 x 1024)

ARP-5519AX-E01-A06 can be powered by the following PSE:

60W

- Cisco C9300-48UXM **UPoE Tested**



90W

- Arista APOE-60E-BT PoE Injector + 150W 24VDC Power Supply **Tested**
- C9300X-24HX-E **UPoE + Per Spec**
- C9300X-48HX-E **UPoE + Tested**
- C9300X-48HXN-E **UPoE + Per Spec**

ARP-5519AX-E01-AQ6,
ARP-5519AX-K01-A34-300 can be powered by the following PSE:

90W

- Arista APOE-60E-BT PoE Injector + 150W 24VDC Power Supply **Tested**
- C9300X-24HX-E **UPoE + Per Spec**
- C9300X-48HX-E **UPoE + Tested**
- C9300X-48HXN-E **UPoE + Per Spec**

1)15.6" Display (1920 x 1080)

ARP-3816BP-K01-A02 can be powered by the following PSE:

60W

- Cisco C9300-48UXM **UPoE Tested**

90W

- Arista APOE-60E-BT PoE Injector + 150W 24VDC Power Supply **Tested**
- C9300X-24HX-E **UPoE + Per Spec**
- C9300X-48HX-E **UPoE + Tested**
- C9300X-48HXN-E **UPoE + Per Spec**

ARP-3816BP-K01-AQ2,
ARP-3816BP-K01-A30-300 can be powered by the following PSE:

90W

- Arista APOE-60E-BT PoE Injector + 150W 24VDC Power Supply **Tested**
- C9300X-24HX-E **UPoE + (90W) Per Spec**
- C9300X-48HX-E **UPoE + (90W) Tested**
- C9300X-48HXN-E **UPoE + (90W) Per Spec**

2)18.5" Display

ARP-3818BP-K01-A02 can be powered by the following PSE:

60W

- Cisco C9300-48UXM **UPoE Tested**

90W

- Arista APOE-60E-BT PoE Injector + 150W 24VDC Power Supply **Tested**
- C9300X-24HX-E **UPoE + Per Spec**
- C9300X-48HX-E **UPoE + Tested**
- C9300X-48HXN-E **UPoE + Per Spec**

ARP-3818BP-K01-AQ2,
ARP-3818BP-K01-A30-300 can be powered by the following PSE:



90W

- Arista APOE-60E-BT PoE Injector + 150W 24VDC Power Supply **Tested**
- C9300X-24HX-E **UPoE + (90W) Per Spec**
- C9300X-48HX-E **UPoE + (90W) Tested**
- C9300X-48HXN-E **UPoE + (90W) Per Spec**

3)21.5" Display

ARP-3821AX-E01-A06 can be powered by the following PSE:

60W

- Cisco C9300-48UXM **UPoE Tested**

90W

- Arista APOE-60E-BT PoE Injector + 150W 24VDC Power Supply **Tested**
- C9300X-24HX-E **UPoE + Per Spec**
- C9300X-48HX-E **UPoE + Tested**
- C9300X-48HXN-E **UPoE + Per Spec**

ARP-3821AX-E01-AQ6,
ARP-3821AX-K01-A34-300,
ARP-3821BP-K01-A02,
ARP-3821BP-K01-AQ2,
ARP-3821BP-K01-A30-300 can be powered by the following PSE:

90W

- Arista APOE-60E-BT PoE Injector + 150W 24VDC Power Supply **Tested**
- C9300X-24HX-E **UPoE + Per Spec**
- C9300X-48HX-E **UPoE + Tested**
- C9300X-48HXN-E **UPoE + Per Spec**

4)24" Display

ARP-3824AX-E01-A06,
ARP-3824AX-E01-AQ6,
ARP-3824AX-K01-A34-300,
ARP-3824BP-K01-A02,
ARP-3824BP-K01-AQ2,
ARP-3824BP-K01-A30-300 can be powered by the following PSE:

90W

- Arista APOE-60E-BT PoE Injector + 150W 24VDC Power Supply **Tested**
- C9300X-24HX-E **UPoE + Per Spec**
- C9300X-48HX-E **UPoE + Tested**
- C9300X-48HXN-E **UPoE + Per Spec**